













ACCESSORIES




ACCESSORIES




CLP5000
MOUNTING CLIP
INSTALLED



CLP5000
MOUNTING CLIP



CLP8500
MOUNTING CLIP
INSTALLED



CLP8500
MOUNTING CLIP

EXPLOSION-PROOF HOUSINGS

LISTINGS/APPROVALS (ADALET XIH SERIES)

CSA certified and FM approved for the following locations:

- Class I, Groups B, C, and D
- Class II, Groups E, F, and G
- NEMA 4 and 7

STANDARD MATERIALS:

BOX AND COVERS


Copper-free aluminum

O-RING SEALING GASKET

Buna-N-rubber.

GLASS LENS (OPTIONAL)

3/8" thick tempered glass (9.5mm)



ACCESSORIES

EXPLOSION-PROOF HOUSINGS LISTINGS/APPROVALS (KILLARK HK SERIES)

FM certified and CSA approved for the following locations:

- Class I, Divisions 1 and 2 Groups B, C, and D
- Class II, Divisions 1 and 2 Groups E, F, and G
- Class III, NEMA 3,4,7, and 9

INTERNATIONAL APPROVALS

- Designed to meet flameproof requirements as defined by CENELEC (EURONORM 50018)
- BASEFA approval in process

STANDARD MATERIALS:

BOX AND COVERS

Copper-free aluminum (less than 0.4% copper content).

Finish of silver paint.


O-RING SEALING GASKET

Neoprene rubber

GLASS LENS AVAILABLE

3/8" thick tempered glass (9.5 mm)


HKB-HK2D-8, HKB-HK2D-11



SIDE VIEW, COVER ON

TOP VIEW, COVER OFF

HKB-HKGL, HKB-HFC



SIDE VIEW, COVER ON


TOP VIEW, COVER OFF

EXPLOSION-PROOF HOUSING COMPLIANCES:

- NEC Class I, Group C and D
- Class II, Groups E, F, and G
- Class III, UL Standard 866
- NEMA 7 and NEMA 9
- O-Ring for NEMA-4 watertight

1/2" NPT entrance for probe unit and one 3/4" NPT conduit entrance with conduit stop. The body has an exterior pad 5/8" wide across the back between the conduit hubs. An optional cover retaining chain is available.


XJAY



SIDE VIEW COVER ON

TOP VIEW COVER OFF

TSH-A6L



SIDE VIEW

CONNECTION HEAD

- Hinged top, clamp closure
- NEMA-4
- Aluminum material
- 1/2 inch NPT process threads x 1/2 inch NPT conduit threading



2915 Parkway Street
Lakeland, FL 33811-1391 · USA

800-234-1343

Tel: 863-647-2000 · Fax: 863-644-5318
www.wici.com · Email: sales@wici.com